

PROJECT DATA	
ADDRESS: 459 Castlewood Road, Tyrone, GA 30290	
LEGAL DESCRIPTION: APN # 3861830 TRACT 1017 LOT AREA - 3.756 ACRES CONSTRUCTION TYPE - V-B ZONE - R-1-10 SS (RESIDENTIAL) OCCUPANCY R (RESIDENTIAL) / U (GARAGE)	
ZONING: SETBACKS: FRONT (25FT), SIDE (10FT), REAR (25FT) LOT COVERAGE: 60% OF NET SITE AREA = 4,401.4 SF ALLOWED BUILDING HEIGHT: NO CHANGE	
FLOOR AREA ALLOWANCE: 3,200 SF PLUS 170 SF PER 1,000 SF OVER 10,000 SF. 3,200 SF ALLOWED	
Total Square Footage	
Name	Area
1.FIRST FLOOR HEATED AREA	1330 SF
2.SECOND FLOOR HEATED AREA	1565 SF
3.GARAGE	406 SF
4.PORCH	260 SF
5.CAR PORCH	234 SF
6. DECK	683 SF
7.BASEMENT FLOOR HEATED AREA	905 SF
Total Area	5382 SF
Total Heated Area	3800 SF

PROJECT DIRECTORY

DESIGNER	OWNER
----------	-------

SCOPE OF PROJECT

NEW CONSTRUCTION DRAWINGS

BUILDING CODE:

THESE PLANS ARE DRAWN AND REFERENCES TO :

- 2008 NATIONAL GREEN BUILDING STANDARD (NGBS) WITH 2011 AMENDMENTS
- 2015 INTERNATIONAL ENERGY CONSERVATION CODE (IECC) WITH 2020 SUPPLEMENTS & AMENDMENTS
- 2017 EDITION OF THE NATIONAL ELECTRICAL CODE
- 2018 INTERNATIONAL BUILDING CODE (IBC) WITH 2020 AMENDMENTS
- 2018 INTERNATIONAL FIRE CODE (IFC)
- 2018 INTERNATIONAL FUEL GAS CODE (IFGC) WITH 2020 AMENDMENTS
- 2018 INTERNATIONAL GREEN CONSTRUCTION CODE
- 2018 INTERNATIONAL MECHANICAL CODE (IMC) WITH 2020 AMENDMENTS
- 2018 INTERNATIONAL PERFORMANCE CODE FOR BUILDINGS AND FACILITIES
- 2018 INTERNATIONAL PLUMBING CODE (IPC) WITH 2020 AMENDMENTS
- 2018 INTERNATIONAL RESIDENTIAL CODE (IRC) FOR ONE- AND TWO-FAMILY DWELLINGS, WITH 2020 AMENDMENTS

ARCHITECTURAL SYMBOLS LEGEND

		DETAIL INDICATOR - REFERENCE & DETAIL INDICATOR - ITEM
		DETAIL INDICATOR - SECTION & DETAIL INDICATOR - SECTION ITEM
		SECTION INDICATOR - PARTIAL BUILDING/WALL & DETAIL INDICATOR - AREA
		SECTION INDICATOR - BUILDING
		ELEVATION INDICATOR - EXTERIOR
		ELEVATION INDICATOR - INTERIOR, SINGLE & MULTIPLE VIEW
		MATCH LINE INDICATOR
		REFERENCE GRID WITH REFERENCE GRID LINES
		REVISION INDICATOR & REVISION CLOUD
		ROOM IDENTIFIER WITH ROOM NAME & NUMBER
		ELEVATION INDICATOR - LEVEL & SPOT
		WINDOW OR LOUVER IDENTIFIER
		KEYNOTE INDICATOR
		PLAN NORTH & TRUE NORTH INDICATOR


Sheet List	
Sheet Name	Sheet Number
COVER SHEET	A-0.0
GENERAL NOTE & DESIGN DATA	A-1.0
SITE PLAN	A-1.2
EXISTING FIRST FLOOR PLAN	A-2.0
EXISTING SECOND FLOOR PLAN	A-2.1
EXISTING ELEVATION	A-2.2
EXISTING ELEVATION	A-2.3
EXISTING ROOF PLAN	A-2.4
DEMOLATION PLAN	A-3.0
PROPOSED BASEMENT PLAN	A-4.1
PROPOSED FIRST FLOOR PLAN	A-4.2
PROPOSED SECOND FLOOR PLAN	A-4.3
PROPOSED ELEVATIONS	A-4.4
PROPOSED ELEVATION	A-4.5
BUILDING SECTION-1 & 2	A-6.0
PROPOSED ROOF PLAN	A-7.0
PROPOSEDBASEMENT ELECTRICAL PLAN	E-1.0
PROPOSED FIRST FLOOR ELECTRICAL PLAN	E-1.1
PROPOSED SECOND FLOOR ELECTRICAL PLAN	E-1.2
PROPOSED BASEMENT FLOOR HVAC PLAN	M-1.0
PROPOSED FIRST FLOOR HVAC PLAN	M-1.1
PROPOSED SECOND FLOOR HVAC PLAN	M-1.2
PROPOSED BASEMENT PLUMBING	P-0.0
PROPOSED FIRST FLOOR PLUMBING	P-0.1
PROPOSED SECOND FLOOR PLUMBING	P-0.2
FOUNDATION PLAN & DETAILS	S-1.0
TYPICAL FRAMING DETAILS	S-2.0

The Howard Residence


459 Castlewood Road, Tyrone, GA 30290

VICINITY MAP

PROJECT LOCATION



① 3D VIEW FRONT



② 3D VIEW REAR

GENERAL NOTES:

MINIMUM INSULATION VALUES:
A. R-21 EXTERIOR WALLS (BATT'S OR CLOSED CELL FOAM)*
B. R-49 ROOF AREAS (BLOWN/BATT'S OR CLOSED CELL FOAM)
C. R-49 CATHEDRAL ROOF AREAS (BLOWN/BATT'S/ OR CLOSED CELL FOAM)
D. R-30 CANTILEVERS AND FLOOR OVER
E. R-16 CRAWL WALLS (RIGID INSULATION)

WHERE NECESSARY OR AS DIRECTED BY CONTRACTOR, PROVIDE EXTRUDED POLYSTYRENE IN LIEU OF BATT INSULATION, BEHIND, BENEATH, OR ADJACENT TO PLUMBING, MECHANICAL, AND ELECTRICAL SUPPLIES, RETURNS, AND OTHER DISTRIBUTION LINES AND FIXTURES TO ENSURE MINIMUM INSULATION VALUES ARE STRICTLY ADHERED TO IN ALL LOCATIONS. IN ALL INACCESSIBLE OR ENCLOSED AREAS OR AREAS THAT MAY BE INACCESSIBLE OR MAY BE ENCLOSED, PLACE EXTRUDED POLYSTYRENE INSULATION IMMEDIATELY PRIOR TO PLACING THE PLUMBING, MECHANICAL, AND ELECTRICAL RUNS.

INSULATE ALL CANTILEVERED FLOORS WITH BATT INSULATION AND SHEATH UNDERSIDE WITH HARDBOARD OVER APPROVED VAPOR BARRIER.

SHOWERS AND TUB-SHOWER COMBINATIONS SHALL BE EQUIPPED WITH CONTROL VALVES OF THE PRESSURE BALANCE, THE THERMOSTATIC MIXING OR THE COMBINATION PRESSURE BALANCE/THERMOSTATIC MIXING VALVE TYPES WITH HIGH LIMIT STOPS IN ACCORDANCE WITH ASSE/ANSI 1016 OR CSA B125. THE HIGH LIMIT STOPS SHALL BE SET TO LIMIT WATER TEMPERATURE TO A MAXIMUM 120F PER 2021 IRC SEC. P2708.3

CONCRETE TILES AND ASPHALT SHINGLES SHALL HAVE THE MIN. NUMBER OF FASTENERS REQUIRED BY MANUFACTURER.

STAIR CONSTRUCTION
A. 7-3/4" RISERS MAX. (NOT TO VARY MORE THAN 3/8")
B. 10" TREADS MIN.
C. WIDTH - NOT LESS THAN 36" CLEAR
D. HEADROOM - NOT LESS THAN 6'-8" CLEAR TO ALL OBSTRUCTIONS.
E. HANDRAILS - BETWEEN 34" TO 36" A.F.F. DIMENSION SHOULD BE BETWEEN 1 1/2" - 2" DIAMETER, W/ INTERMEDIATE BALUSTERS/RAILS PER "G" BELOW.
F. GUARDRAILS - NOT LESS THAN 36" A.F.F. AND BALUSTERS CONSTRUCTED SUCH THAT A SPHERE 4" IN DIAMETER CANNOT PASS THROUGH (EXCEPT WHERE AT THE OPEN SIDE OF A STAIR, +34" - +38", SEE "G" FOR BALUSTERS.
G. INTERMEDIATE BALUSTERS/RAILS SHALL BE CONSTRUCTED SUCH THAT A SPHERE 4-3/8" IN DIAMETER CANNOT PASS THROUGH, EXCEPT AT TRIANGULAR AREAS FORMED BY A RISER AT THE BOTTOM OF A GUARD, SPHERE 6" IN DIAMETER CANNOT PASS THROUGH.
H. INTERMEDIATE LANDING MUST EQUAL STAIR WIDTH WHERE STAIR RUN CHANGES DIRECTION.

PROVIDE 36" MINIMUM CLEAR SPACE FOR ALL LANDINGS @ EXTERIOR DOORS.

ANY STAIR WITH ENCLOSED USABLE SPACE UNDERNEATH SHALL BE PROTECTED ON THE ENCLOSED SIDE WITH 1/2" GYPSUM BOARD

MINIMUM CORRIDOR WIDTH IS TO BE 36" CLEAR.

PROVIDE FLOOR, WALL, ROOF AND FIRE BLOCKING PER R302.11 & R302.12

FIRESTOP ALL POCKET DOORS AND FLUES PER R302.11 & R302.12

SMOKE DETECTORS ARE TO BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS AND PER CODE. LINK THE AUDIO SIGNAL TO ALL UNITS.

IN BATHROOMS CONTAINING A BATHTUB OR SHOWER OR COMBINATION THEREOF, LAUNDRY ROOMS AND SIMILAR ROOMS THAT DO NOT HAVE ACCESS TO NATURAL VENTILATION, A MECHANICAL VENTILATION SYSTEM CONNECTED DIRECTLY TO THE OUTSIDE IS TO BE PROVIDED.

IN BATHROOMS THAT ONLY CONTAIN A WTER CLOSET OR LAVATORY OR COMBINATION THEREOF AND SIMILAR ROOMS THAT DO NOT HAVE NATURAL VENTILATION, A MECHANICAL RECIRCULATING FAN IS TO BE PROVIDED.

WHERE RECESSED LIGHT FIXTURES ARE ADJACENT TO COMBUSTIBLE INSULATION, PROVIDE CLEARANCES PER CODE.

SLEEPING ROOMS SHALL HAVE AT LEAST ONE OPERABLE EGRESS WINDOW FOR EMERGENCY ESCAPE IN ACCORDANCE WITH I.R.C. REQUIREMENTS.

ALL WINDOWS ARE TO BE WEATHER-STRIPPED AND DOUBLE GLAZED. FRAME MATERIAL PER GC.

ALL EXTERIOR DOORS AND WINDOWS LEADING TO UNHEATED AREAS, ABOVE GRADE, ARE TO BE WEATHER STRIPPED.

GALVANIZED DOWNSPOUTS TO HAVE 5'-0" ADJUSTABLE EXTENDERS OR PER LOCAL CODES. DISTANCE FROM END OF EXTENDER TO ADJACENT PROPERTY LINE SHOULD BE 3-5 FEET. EXTENDERS SHOULD BE 4" IN DIAMETER OR EQUIVALENT. PROVIDE EXTENDERS UNLESS OTHERWISE NOTED AS SPLASHBLOCKS ON SITE PLAN, THEN PROVIDE SPLASHBLOCKS ONLY.

PROVIDE THERMOPLY OR APPROVED EQUIVALENT AIR BARRIER AT VERTICAL EXTERIOR (COLD) SIDES OF ALL TUB ENCLOSURES, BUILT-INS, BETWEEN JOISTS/RIM BOARDS, AND TRUSS STEPS, ALL BATT INSULATION SHALL HAVE FULL ENCLOSURE, EXCEPT ATTICS.

ALL EXTERIOR OPENINGS OR WALL PENETRATIONS EXPOSED TO WEATHER ARE TO BE FLASHED AND FILLED WITH SEALANT TO PREVENT MOISTURE AND AIR INFILTRATION. PROVIDE ALL FLASHING AND COUNTER FLASHING ITEMS AS INDICATED AND AS REQUIRED TO MAKE COMPLETED WORK WATERPROOF. FLASHING SHALL BE BRAKE FORMED TO SHARP LINES AND FITTED TO DETAILS. FLASH AND COUNTERFLASH AT ALL ROOF TO WALL CONDITIONS. G.I. FLASH AND CAULK WOOD BEAMS AND LOOKOUTS PROJECTING THROUGH EXTERIOR WALLS OR ROOF SURFACES. FLASH ALL EXTERIOR DOOR AND WINDOW OPENINGS WITH MANUFACTURER'S APPROVED METHODS AND MATERIALS WHICH CONFORMS TO STANDARDS OF LOCAL AND APPLICABLE CODES.

PROVIDE DAM PROOFING OF ALL FOUNDATIONS PER SOILS REPORT AND/OR IRC SPECIFICATIONS.

SLOPE ALL CONCRETE EXTERIOR FLATWORK 1/4" PER FOOT (MIN) AWAY FROM THE STRUCTURE TO PROVIDE PROPER DRAINAGE.

T.O. FOUNDATION ELEVATIONS FOR HOUSE SHALL BE VERIFIED IN FIELD BY G.C. PRIOR TO CONCRETE POUR. SET T.O. FOUNDATION SO THAT FINISH GRADE CAN SLOPE AWAY @ 10% FOR 10 FEET FROM FOUNDATION OR TO PROPERTY LINE, OR PER SOILS REPORT. VERIFY THAT EXTERIOR MATERIALS OTHER THAN MASONRY/CONCRETE WILL BE 8" ABOVE FINISH GRADE, OR PER LOCAL CODES. WHERE CONCRETE PORCH, PATIO, OR DRIVE IS LESS THAN 8" BELOW T.O. FOUNDATION, PROVIDE FLASHING/WATERPROOFING PER CODE. SITE PLAN IS PROVIDED FOR COMPLIANCE WITH ZONING ORDINANCES ONLY. GC. IS SOLELY RESPONSIBLE FOR SITE DRAINAGE.



NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
COVER SHEET

DESIGN BUILD CONTRACTOR:
Mastermind Design
Build & Remodel

PROJECT DETAILS:

The Howard Residence

459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA

DATE
03/02/2025
SCALE
As indicated
SHEET

A-0.0

RA

DESIGN & ENGINEERING

<



NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
GENERAL NOTE &
DESIGN DATA


DESIGN BUILD CONTRACTOR:
Mastermind Design
Build & Remodel

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA

DATE
03/02/2025
SCALE
1/4" = 1'-0"
SHEET

A-1.0



1 Site Plan
1" = 60'-0"



NO.	DESCRIPTION	BY	DATE


SHEET TITLE:
SITE PLAN

DESIGN BUILD CONTRACTOR:
Mastermind Design
Build & Remodel

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA
DATE
03/02/2025
SCALE
1" = 60'-0"
SHEET

A-1.2



WALL ASSEMBLIES	
ITEM	DESCRIPTION
	EXTERIOR WALLS 2X6
	INTERIOR WALLS 2X4
	EXISTING WALL
	DEMOLITION WALL
	PROPOSED WALL

Door Schedule				
Mark	Width	Height	Count	Description
CD206	4' - 0"	7' - 0"	1	GARAGE DOOR
CD207	5' - 0"	7' - 0"	1	
CD208	18' - 0"	8' - 0"	1	
CD209	3' - 0"	7' - 0"	1	
CD210	2' - 6"	7' - 0"	1	
CD211	2' - 6"	7' - 0"	1	
CD212	2' - 6"	7' - 0"	1	
CD213	2' - 6"	7' - 0"	1	
CD214	2' - 0"	7' - 0"	1	
CD215	2' - 6"	7' - 0"	1	
CD216	3' - 0"	7' - 0"	1	
CD217	2' - 0"	7' - 0"	1	
CD218	4' - 0"	7' - 0"	1	
CD219	6' - 0"	7' - 0"	1	
CD220	2' - 0"	7' - 0"	1	
CD221	2' - 0"	7' - 0"	1	
CD222	2' - 0"	7' - 0"	1	
CD223	2' - 0"	7' - 0"	1	
CD224	2' - 6"	7' - 0"	1	
CD225	2' - 6"	7' - 0"	1	
CD226	2' - 6"	7' - 0"	1	
CD227	2' - 6"	7' - 0"	1	
CD228	2' - 6"	7' - 0"	1	
CD229	2' - 6"	7' - 0"	1	
CD230	2' - 0"	7' - 0"	1	
CD231	2' - 0"	7' - 0"	1	
CD232	2' - 0"	7' - 0"	1	
CD233	2' - 0"	7' - 0"	1	
CD234	2' - 6"	7' - 0"	1	
CD235	2' - 0"	7' - 0"	1	
CD236	2' - 4"	7' - 0"	1	
CD237	4' - 0"	7' - 0"	1	
CD241	3' - 0"	7' - 0"	1	
CD242	3' - 0"	7' - 0"	1	
CD243	3' - 0"	7' - 0"	1	
CD244	3' - 0"	7' - 0"	1	
CD245	3' - 0"	7' - 0"	1	
CD246	2' - 0"	7' - 0"	1	
CD247	2' - 8"	7' - 0"	1	
CD248	2' - 8"	7' - 0"	1	
CD249	5' - 0"	7' - 0"	1	
CD250	1' - 0"	7' - 0"	1	
CD251	1' - 0"	7' - 0"	1	
CD252	2' - 6"	7' - 0"	1	
CD253	4' - 11"	7' - 0"	1	
CD255	2' - 6"	7' - 0"	1	
CD256	2' - 6"	7' - 0"	1	
CD257	2' - 0"	7' - 0"	1	
CD258	2' - 0"	7' - 0"	1	
CD259	3' - 0"	7' - 0"	1	
CD260	3' - 0"	7' - 0"	1	
CD261	3' - 0"	7' - 0"	1	
CD262	3' - 0"	7' - 0"	1	
CD263	3' - 0"	7' - 0"	1	
CD264	3' - 0"	7' - 0"	1	
CD265	3' - 0"	7' - 0"	1	
CD266	3' - 0"	7' - 0"	1	
CD267	5' - 0"	7' - 0"	1	
CD268	3' - 0"	7' - 0"	1	
CD269	2' - 4"	7' - 0"	1	
CD271	6' - 0"	7' - 0"	1	
CD272	7' - 0"	7' - 0"	1	
CD273	5' - 0"	7' - 0"	1	
CD274	4' - 0"	7' - 0"	1	
CD275	3' - 0"	7' - 0"	1	
CD276	5' - 0"	7' - 0"	1	
CD277	5' - 0"	7' - 0"	1	
CD279	4' - 4"	7' - 0"	1	
CD280	7' - 0"	8' - 0"	1	
CD281	7' - 0"	8' - 0"	1	
CD282	7' - 0"	8' - 0"	1	GARAGE DOOR
CD283	6' - 0"	7' - 0"	1	
CD284	4' - 0"	7' - 0"	1	
CD285	2' - 6"	7' - 0"	1	
CD286	2' - 6"	7' - 0"	1	
CD287	2' - 0"	7' - 0"	1	
CD288	2' - 6"	7' - 0"	1	
CD289	2' - 4"	7' - 0"	1	
CD290	4' - 0"	7' - 0"	1	
CD292	3' - 0"	7' - 0"	1	
CD294	5' - 0"	7' - 0"	1	
CD295	4' - 0"	7' - 0"	1	
CD296	4' - 0"	7' - 0"	1	
CD297	4' - 0"	7' - 0"	1	
CD298	4' - 0"	7' - 0"	1	
CD299	4' - 0"	7' - 0"	1	
CD300	4' - 0"	7' - 0"	1	

[illegible]

SHEET TITLE:
EXISTING FIRST
FLOOR PLAN

DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:



The Howard Residence

459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA

DATE
03/02/2025
SCALE
1/4" = 1'-0"
SHEET


A-2.0



Window Schedule					
Type	Mark	Width	Height	Count	Description
	W6	4' - 0"	1' - 0"	1	FIXED GLASS
	W90	2' - 8"	5' - 0"	24	
	W181	2' - 0"	5' - 0"	11	
	W183	3' - 0"	5' - 0"	19	
	W187	3' - 0"	4' - 0"	1	
	W213	4' - 0"	5' - 0"	1	
	W256	2' - 8"	4' - 0"	8	
	W257	2' - 0"	3' - 6"	6	
	W259	2' - 0"	4' - 0"	7	
	W260	3' - 6"	4' - 0"	2	
	W262	2' - 8"	1' - 0"	16	
	W263	2' - 0"	6' - 0"	4	
	W265	5' - 0"	6' - 0"	1	
	W266	3' - 6"	1' - 6"	1	

<u>WALL ASSEMBLIES</u>	
ITEM	DESCRIPTION
	EXTERIOR WALLS 2X6
	INTERIOR WALLS 2X4
	EXISTING WALL
	DEMOLITION WALL
	PROPOSED WALL

Door Schedule				
Mark	Width	Height	Count	Description
CD206	4' - 0"	7' - 0"	1	
CD207	5' - 0"	7' - 0"	1	
CD208	18' - 0"	8' - 0"	1	GARAGE DOOR
CD209	3' - 0"	7' - 0"	1	
CD210	2' - 6"	7' - 0"	1	
CD211	2' - 6"	7' - 0"	1	
CD212	2' - 6"	7' - 0"	1	
CD213	2' - 6"	7' - 0"	1	
CD214	2' - 0"	7' - 0"	1	
CD215	2' - 6"	7' - 0"	1	
CD216	3' - 0"	7' - 0"	1	
CD217	2' - 0"	7' - 0"	1	
CD218	4' - 0"	7' - 0"	1	
CD219	6' - 0"	7' - 0"	1	
CD220	2' - 0"	7' - 0"	1	
CD221	2' - 0"	7' - 0"	1	
CD222	2' - 0"	7' - 0"	1	
CD223	2' - 0"	7' - 0"	1	
CD224	2' - 6"	7' - 0"	1	
CD225	2' - 6"	7' - 0"	1	
CD226	2' - 6"	7' - 0"	1	
CD227	2' - 6"	7' - 0"	1	
CD228	2' - 6"	7' - 0"	1	
CD229	2' - 6"	7' - 0"	1	
CD230	2' - 0"	7' - 0"	1	
CD231	2' - 0"	7' - 0"	1	
CD232	2' - 0"	7' - 0"	1	
CD233	2' - 0"	7' - 0"	1	
CD234	2' - 6"	7' - 0"	1	
CD235	2' - 0"	7' - 0"	1	
CD236	2' - 4"	7' - 0"	1	
CD237	4' - 0"	7' - 0"	1	
CD241	3' - 0"	7' - 0"	1	
CD242	3' - 0"	7' - 0"	1	
CD243	3' - 0"	7' - 0"	1	
CD244	3' - 0"	7' - 0"	1	
CD245	3' - 0"	7' - 0"	1	
CD246	2' - 0"	7' - 0"	1	
CD247	2' - 8"	7' - 0"	1	
CD248	2' - 8"	7' - 0"	1	
CD249	5' - 0"	7' - 0"	1	
CD250	1' - 0"	7' - 0"	1	
CD251	1' - 0"	7' - 0"	1	
CD252	2' - 6"	7' - 0"	1	
CD253	4' - 11"	7' - 0"	1	
CD255	2' - 6"	7' - 0"	1	
CD256	2' - 6"	7' - 0"	1	
CD257	2' - 0"	7' - 0"	1	
CD258	2' - 0"	7' - 0"	1	
CD259	3' - 0"	7' - 0"	1	
CD260	3' - 0"	7' - 0"	1	
CD261	3' - 0"	7' - 0"	1	
CD262	3' - 0"	7' - 0"	1	
CD263	3' - 0"	7' - 0"	1	
CD264	3' - 0"	7' - 0"	1	
CD265	3' - 0"	7' - 0"	1	
CD266	3' - 0"	7' - 0"	1	
CD267	5' - 0"	7' - 0"	1	
CD268	3' - 0"	7' - 0"	1	
CD269	2' - 4"	7' - 0"	1	
CD271	6' - 0"	7' - 0"	1	
CD272	7' - 0"	7' - 0"	1	
CD273	5' - 0"	7' - 0"	1	
CD274	4' - 0"	7' - 0"	1	
CD275	3' - 0"	7' - 0"	1	
CD276	5' - 0"	7' - 0"	1	
CD277	5' - 0"	7' - 0"	1	
CD279	4' - 4"	7' - 0"	1	
CD280	7' - 0"	8' - 0"	1	GARAGE DOOR
CD281	7' - 0"	8' - 0"	1	GARAGE DOOR
CD282	7' - 0"	8' - 0"	1	GARAGE DOOR
CD283	6' - 0"	7' - 0"	1	
CD284	4' - 0"	7' - 0"	1	
CD285	2' - 6"	7' - 0"	1	
CD286	2' - 6"	7' - 0"	1	
CD287	2' - 0"	7' - 0"	1	
CD288	2' - 6"	7' - 0"	1	
CD289	2' - 4"	7' - 0"	1	
CD290	4' - 0"	7' - 0"	1	
CD292	3' - 0"	7' - 0"	1	
CD294	5' - 0"	7' - 0"	1	
CD295	4' - 0"	7' - 0"	1	
CD296	4' - 0"	7' - 0"	1	
CD297	4' - 0"	7' - 0"	1	
CD298	4' - 0"	7' - 0"	1	
CD299	4' - 0"	7' - 0"	1	
CD300	4' - 0"	7' - 0"	1	



SHEET TITLE:
EXISTING
SECOND FLOOR
PLAN


Mastermind Design Build & Remodel

The Howard Residence

RAWN BY:
A
HECKED BY:
A

DATE
03/02/2025
SCALE
1/4" = 1'-0"
SHEET


A-2.1




Mastermind Design Build & Remodel

DRAWN BY:
 A
 CHECKED BY:
 A
 DATE
 03/02/2025
 SCALE
 1/4" = 1'-0"
 SHEET

A-2.2





NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
EXISTING
ELEVATION

DESIGN BUILD CONTRACTOR:
Mastermind Design
Build & Remodel

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA

DATE
03/02/2025
SCALE
1/4" = 1'-0"
SHEET

A-2.3



SHEET TITLE:
**EXISTING ROOF
PLAN**


Mastermind Design Build & Remodel


The Howard
459 Castlewood

DRAWN BY:
A
CHECKED BY:
A

DATE
03/02/2025
SCALE
1/4" = 1'-0"
SHEET

A-2.4





① Demolition First Floor Level
1/4" = 1'-0"



NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
**DEMOLITION
PLAN**


DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA

DATE
03/02/2025
SCALE
1/4" = 1'-0"
SHEET

A-3.0



WALL ASSEMBLIES	
ITEM	DESCRIPTION
	EXTERIOR WALLS 2X6
	INTERIOR WALLS 2X4
	EXISTING WALL
	DEMOLITION WALL
	PROPOSED WALL



RA
DESIGN & ENGINEERING

[illegible]


SHEET TITLE:
PROPOSED
BASEMENT PLAN

DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30080

DRAWN BY:
SA
CHECKED BY:
SA
DATE
03/02/2025
SCALE
1/4" = 1'-0"
SHEET

A-4.1



WALL ASSEMBLIES	
ITEM	DESCRIPTION
	EXTERIOR WALLS 2X6
	INTERIOR WALLS 2X4
	EXISTING WALL
	DEMOLITION WALL
	PROPOSED WALL

The logo for RA Design & Engineering is located in the bottom right corner. It features a stylized red house icon with a chimney on the left. Inside the house, the letters 'RA' are written in red. To the right of the house, the word 'DESIGN' is written in large, bold, black capital letters, and '& ENGINEERING' is written in smaller, black capital letters below it.[illegible]

SHEET TITLE:
**PROPOSED FIRST
FLOOR PLAN**

DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**


PROJECT DETAILS:

The Howard Residence

459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA
DATE
03/02/2025
SCALE
As indicated
SHEET

A-4.2



WALL ASSEMBLIES

ITEM	DESCRIPTION
	EXTERIOR WALLS 2X6
	INTERIOR WALLS 2X4
	EXISTING WALL
	DEMOLATION WALL
	PROPOSED WALL

Door Schedule				
Mark	Width	Height	Count	Description
CD206	4' - 0"	7' - 0"	1	
CD207	5' - 0"	7' - 0"	1	
CD208	18' - 0"	8' - 0"	1	GARAGE DOOR
CD209	3' - 0"	7' - 0"	1	
CD210	2' - 6"	7' - 0"	1	
CD211	2' - 6"	7' - 0"	1	
CD212	2' - 6"	7' - 0"	1	
CD213	2' - 6"	7' - 0"	1	
CD214	2' - 0"	7' - 0"	1	
CD215	2' - 6"	7' - 0"	1	
CD216	3' - 0"	7' - 0"	1	
CD217	2' - 0"	7' - 0"	1	
CD218	4' - 0"	7' - 0"	1	
CD219	6' - 0"	7' - 0"	1	
CD220	2' - 0"	7' - 0"	1	
CD221	2' - 0"	7' - 0"	1	
CD222	2' - 0"	7' - 0"	1	
CD223	2' - 0"	7' - 0"	1	
CD224	2' - 6"	7' - 0"	1	
CD225	2' - 6"	7' - 0"	1	
CD226	2' - 6"	7' - 0"	1	
CD227	2' - 6"	7' - 0"	1	
CD228	2' - 6"	7' - 0"	1	
CD229	2' - 6"	7' - 0"	1	
CD230	2' - 0"	7' - 0"	1	
CD231	2' - 0"	7' - 0"	1	
CD232	2' - 0"	7' - 0"	1	
CD233	2' - 0"	7' - 0"	1	
CD234	2' - 6"	7' - 0"	1	
CD235	2' - 0"	7' - 0"	1	
CD236	2' - 4"	7' - 0"	1	
CD237	4' - 0"	7' - 0"	1	
CD241	3' - 0"	7' - 0"	1	
CD242	3' - 0"	7' - 0"	1	
CD243	3' - 0"	7' - 0"	1	
CD244	3' - 0"	7' - 0"	1	
CD245	3' - 0"	7' - 0"	1	
CD246	2' - 0"	7' - 0"	1	
CD247	2' - 8"	7' - 0"	1	
CD248	2' - 8"	7' - 0"	1	
CD249	5' - 0"	7' - 0"	1	
CD250	1' - 0"	7' - 0"	1	
CD251	1' - 0"	7' - 0"	1	
CD252	2' - 6"	7' - 0"	1	
CD253	4' - 11"	7' - 0"	1	
CD255	2' - 6"	7' - 0"	1	
CD256	2' - 6"	7' - 0"	1	
CD257	2' - 0"	7' - 0"	1	
CD258	2' - 0"	7' - 0"	1	
CD259	3' - 0"	7' - 0"	1	
CD260	3' - 0"	7' - 0"	1	
CD261	3' - 0"	7' - 0"	1	
CD262	3' - 0"	7' - 0"	1	
CD263	3' - 0"	7' - 0"	1	
CD264	3' - 0"	7' - 0"	1	
CD265	3' - 0"	7' - 0"	1	
CD266	3' - 0"	7' - 0"	1	
CD267	5' - 0"	7' - 0"	1	
CD268	3' - 0"	7' - 0"	1	
CD269	2' - 4"	7' - 0"	1	
CD271	6' - 0"	7' - 0"	1	
CD272	7' - 0"	7' - 0"	1	
CD273	5' - 0"	7' - 0"	1	
CD274	4' - 0"	7' - 0"	1	
CD275	3' - 0"	7' - 0"	1	
CD276	5' - 0"	7' - 0"	1	
CD277	5' - 0"	7' - 0"	1	
CD279	4' - 4"	7' - 0"	1	
CD280	7' - 0"	8' - 0"	1	GARAGE DOOR
CD281	7' - 0"	8' - 0"	1	GARAGE DOOR
CD282	7' - 0"	8' - 0"	1	GARAGE DOOR
CD283	6' - 0"	7' - 0"	1	
CD284	4' - 0"	7' - 0"	1	
CD285	2' - 6"	7' - 0"	1	
CD286	2' - 6"	7' - 0"	1	
CD287	2' - 0"	7' - 0"	1	
CD288	2' - 6"	7' - 0"	1	
CD289	2' - 4"	7' - 0"	1	
CD290	4' - 0"	7' - 0"	1	
CD292	3' - 0"	7' - 0"	1	
CD294	5' - 0"	7' - 0"	1	
CD295	4' - 0"	7' - 0"	1	
CD296	4' - 0"	7' - 0"	1	
CD297	4' - 0"	7' - 0"	1	
CD298	4' - 0"	7' - 0"	1	
CD299	4' - 0"	7' - 0"	1	
CD300	4' - 0"	7' - 0"	1	

[illegible]

SHEET TITLE:
**PROPOSED
SECOND FLOOR
PLAN**

DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:

The Howard Residence

459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA

DATE
03/02/2025
SCALE
As indicated
SHEET

A-4.3



NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
**PROPOSED
ELEVATIONS**

DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:



The Howard Residence

459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA

DATE
03/02/2025
SCALE
3/16" = 1'-0"
SHEET

A-4.4



NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
**PROPOSED
ELEVATION**

DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290


DRAWN BY:
SA
CHECKED BY:
SA

DATE
03/02/2025
SCALE
3/16" = 1'-0"
SHEET





A-4.5



1 PROPOSED FRONT ELEVATION
3/16" = 1'-0"



2 PROPOSED LEFT ELEVATION
3/16" = 1'-0"



NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
**BUILDING
SECTION-1 & 2**


DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA

DATE
03/02/2025
SCALE
As indicated
SHEET

A-6.0



1 Proposed Roof Plan
3/16" = 1'-0"



NO.	DESCRIPTION	BY	DATE


SHEET TITLE:
**PROPOSED ROOF
PLAN**

DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290


DRAWN BY:	SA
CHECKED BY:	SA
DATE	03/02/2025
SCALE	3/16" = 1'-0"
SHEET	

A-7.0



① Proposed Basement Electrical
1/4" = 1'-0"

ELECTRICAL LEGEND	
	CEILING FAN WITH LIGHT
	TV CONNECTION
	DATA JACK
	TELEPHONE JACK
	GFCI PROTECTED OUTLET
	STANDARD 110V OUTLET
	STANDARD 220V OUTLET
	PROGRAMMABLE THERMOSTAT
	LIGHT SWITCH
	3-WAY LIGHT SWITCH
	CEILING MOUND RADINAT HEATER
	ELECTRICAL PANEL
	WALL MOUNTED LIGHT FIXTURE
	FLOOD LIGHT FIXTURE
	RECESSED CEILING CAN
	PENDANT LIGHT FIXTURE
	VANITY LIGHT
	LED STRIP LIGHT
	FLUORESCENT LIGHT
	SPOT LIGHT
	EXHAUST FAN
	SMOKE DETECTOR
	CARBON MONOXIDE DETECTOR
	SECURITY CAMERA
	CHANDELIER



NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
PROPOSEDBASEMENT
ELECTRICAL PLAN

DESIGN BUILD CONTRACTOR:
Mastermind Design
Build & Remodel

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:	SA
CHECKED BY:	SA
DATE	03/02/2025
SCALE	As indicated
SHEET	E-1.0

NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
PROPOSED FIRST
FLOOR
ELECTRICAL PLAN

DESIGN BUILD CONTRACTOR:
Mastermind Design
Build & Remodel

PROJECT DETAILS:


The Howard Residence

459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA


DATE
03/02/2025
SCALE
3/16" = 1'-0"
SHEET

E-1.1




ELECTRICAL LEGEND	
	CEILING FAN WITH LIGHT
	TV CONNECTION
	DATA JACK
	TELEPHONE JACK
	GFCI PROTECTED OUTLET
	STANDARD 110V OUTLET
	STANDARD 220V OUTLET
	PROGRAMMABLE THERMOSTAT
	LIGHT SWITCH
	3-WAY LIGHT SWITCH
	CEILING MOUND RADINAT HEATER
	ELECTRICAL PANEL
	WALL MOUNTED LIGHT FIXTURE
	FLOOD LIGHT FIXTURE
	RECESSED CEILING CAN
	PENDANT LIGHT FIXTURE
	VANITY LIGHT
	LED STRIP LIGHT
	FLUORESCENT LIGHT
	SPOT LIGHT
	EXHAUST FAN
	SMOKE DETECTOR
	CARBON MONOXIDE DETECTOR
	SECURITY CAMERA
	CHANDELIER

1 Proposed First Floor Level Electrical
3/16" = 1'-0"



1 Proposed Second Floor Level Electrical
3/16" = 1'-0"

ELECTRICAL LEGEND	
	CEILING FAN WITH LIGHT
	TV CONNECTION
	DATA JACK
	TELEPHONE JACK
	GFCI PROTECTED OUTLET
	STANDARD 110V OUTLET
	STANDARD 220V OUTLET
	PROGRAMMABLE THERMOSTAT
	LIGHT SWITCH
	3-WAY LIGHT SWITCH
	CEILING MOUND RADINAT HEATER
	ELECTRICAL PANEL
	WALL MOUNTED LIGHT FIXTURE
	FLOOD LIGHT FIXTURE
	RECESSED CEILING CAN
	PENDANT LIGHT FIXTURE
	VANITY LIGHT
	LED STRIP LIGHT
	FLUORESCENT LIGHT
	SPOT LIGHT
	EXHAUST FAN
	SMOKE DETECTOR
	CARBON MONOXIDE DETECTOR
	SECURITY CAMERA
	CHANDELIER



NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
PROPOSED
SECOND FLOOR
ELECTRICAL PLAN


DESIGN BUILD CONTRACTOR:
Mastermind Design
Build & Remodel





PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:	SA
CHECKED BY:	SA
DATE	03/02/2025
SCALE	3/16" = 1'-0"
SHEET	

E-1.2

1 Proposed Basement Level HVAC
3/8" = 1'-0"



SYMBOL	DESCRIPTION
	MECHANICAL UNIT
	OUTDOOR CONDENSING UNIT
	SUPPLY AIR DIFFUSER ON CEILING
	RETURN AIR DIFFUSER ON CEILING
	AIR SUPPLY DUCK. SIZE IS SHOWN ON PLAN
	AIR RETURN DUCK. SIZE IS SHOWN ON PLAN
	VENT

HVAC LEGEND
1/4" = 1'-0"



NO.	DESCRIPTION	BY	DATE


SHEET TITLE:
PROPOSED
BASEMENT
FLOOR HVAC
PLAN

DESIGN BUILD CONTRACTOR:
Mastermind Design
Build & Remodel

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:	SA
CHECKED BY:	SA
DATE	03/02/2025
SCALE	As indicated
SHEET	M-1.0

1 Proposed First Floor Level HVAC
3/16" = 1'-0"



SYMBOL	DESCRIPTION
	MECHANICAL UNIT
	OUTDOOR CONDENSING UNIT
	SUPPLY AIR DIFFUSER ON CEILING
	RETURN AIR DIFFUSER ON CEILING
	AIR SUPPLY DUCK. SIZE IS SHOWN ON PLAN
	AIR RETURN DUCK. SIZE IS SHOWN ON PLAN
	VENT

HVAC LEGEND
1/4" = 1'-0"



NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
**PROPOSED FIRST
FLOOR HVAC
PLAN**


DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA

DATE
03/02/2025
SCALE
As indicated
SHEET

M-1.1



RA
DESIGN
&
ENGINEERING

SHEET TITLE:
**PROPOSED
SECOND FLOOR
HVAC PLAN**

Mastermind Design Build & Remodel

The Howard Residence

RAWN BY:
A


CHECKED BY:
A

DATE
03/02/2025


SCALE
As indicated

SHEET

M-1.2



1 Proposed Basement Plumbing
1/4" = 1'-0"



- PLUMBING NOTES:**
- PLUMBING SHALL MEET ALL LOCAL CODES.
 - IF WATER HEATER IS LOCATED ANYWHERE, EXCEPT GARAGE OR BASEMENT, PROVIDE METAL DRAIN PAN WITH AUXILLARY DRAIN TO EXTERIOR.
 - ALL WATER HEATERS SHALL BE VENTED AT TOPOUT.
 - PROVIDE INSIDE MAIN WATER CUT-OFF.
 - PROVIDE BLOCKING IF WALL PLATES OR JOISTS ARE CUT INTO.




NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
**PROPOSED
BASEMENT
PLUMBING**

DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY: SA
CHECKED BY: SA
DATE 03/02/2025
SCALE As indicated
SHEET P-0.0



1/2" COLD WATER	
1/2" HOT WATER	
4" WASTE LINE	
TANKLESS WATER HEATER	
HOSE BIB	

① Proposed First Floor Level Plumbing
3/16" = 1'-0"

- PLUMBING NOTES:**
- PLUMBING SHALL MEET ALL LOCAL CODES.
 - IF WATER HEATER IS LOCATED ANYWHERE, EXCEPT GARAGE OR BASEMENT, PROVIDE METAL DRAIN PAN WITH AUXILLARY DRAIN TO EXTERIOR.
 - ALL WATER HEATERS SHALL BE VENTED AT TOPOUT.
 - PROVIDE INSIDE MAIN WATER CUT-OFF.
 - PROVIDE BLOCKING IF WALL PLATES OR JOISTS ARE CUT INTO.





NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
PROPOSED FIRST FLOOR PLUMBING

DESIGN BUILD CONTRACTOR:
Mastermind Design Build & Remodel

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:	SA
CHECKED BY:	SA
DATE	03/02/2025
SCALE	As indicated
SHEET	P-0.1



1 Proposed Second Floor Level Plumbing
3/16" = 1'-0"

- PLUMBING NOTES:**
- PLUMBING SHALL MEET ALL LOCAL CODES.
 - IF WATER HEATER IS LOCATED ANYWHERE, EXCEPT GARAGE OR BASEMENT, PROVIDE METAL DRAIN PAN WITH AUXILLARY DRAIN TO EXTERIOR.
 - ALL WATER HEATERS SHALL BE VENTED AT TOPOUT.
 - PROVIDE INSIDE MAIN WATER CUT-OFF.
 - PROVIDE BLOCKING IF WALL PLATES OR JOISTS ARE CUT INTO.



NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
**PROPOSED
SECOND FLOOR
PLUMBING**

DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:	SA
CHECKED BY:	SA
DATE	03/02/2025
SCALE	As indicated
SHEET	P-0.2

NOTES AND SCHEDULE:
F1: 24"WX12"D CONTINUOUS FOOTING FOR THE 4" MONO. SLAB OR 2X6 STUD WALL . 3#4 LONG WAY BOTTOM BARS CONT AND #4@18"OC BOTTOM BARS TRANSVERSE.
F2: 14"WX12"D CONTINUOUS FOOTING FOR THE 2X4 @16"OC STUD WALL ABOVE THE SILL PLATE AT MAIN LEVEL AND 2ND LEVEL. 2X4 SILL PLATE BY NEW SIMPSON STRAP@24"OC OR 5/8"D AND 7" LONG MINIMUM ANCHOR BOLT @32"OC. USE 2-1/2" DIA WASHER FOR THE ANCHOR BOLT.
F3: 24"WX12"D CONTINUOUS FOOTING FOR THE 2X4 @16"OC STUD WALL ABOVE THE SILL PLATE AT MAIN LEVEL AND 2ND LEVEL. 2X4 SILL PLATE BY NEW SIMPSON STRAP@24"OC OR 5/8"D AND 7" LONG MINIMUM ANCHOR BOLT @32"OC. USE 2-1/2" DIA WASHER FOR THE ANCHOR BOLT.

F2X2: 24"X24"X14" RCC FOOTINGS FOR 6X6 POST.

P1: WOOD POST 6X6 TYPICAL. USE ABWZ SIMPSON POST BASE FOR THE LATERAL RESISTANCE. AND USE SIMPSON BCS AT THE POST-BEAM CONNECTION. SEE ARCHITECTURAL FOR THE HEIGHT AND ELEVATION.



P2: 6X6 POSTS.

BC: BOX COLUMN, USE 6X6 POSTS AND BOX AROUND AND OR MAKE 4-2X4 AT 4-CORNERS AND 2X4@12"MAX AT INTERMEDIATE STUDS.FIELD VERIFY FOR THE HEIGHT AND ELEVATION AND THE BOX DECORATION.

SOG: MONOLITHIC 4" SLAB ON GRADE WITH 6X6-W1.4/W1.4 W.W.F WIREMESH, VAPOR RETARDER AND MIN 4" #57 GRAVEL COMPACTED BEFORE POURING. SOG RAISED 3' FROM GRADE PLAN.

SITE DRAINAGE:

IT IS RECOMMENDED THAT THE DRAINAGE BE WELL DEVELOPED. SURFACE WATER SHOULD BE DIRECTED AWAY FROM THE FOUNDATION SOILS. USE A MINIMUM SLOPE OF 2% WITHIN 10 FEET OF THE FOUNDATION, NO PONDING OF SURFACE WATER SHALL BE ALLOWED NEAR THE STRUCTURE DURING OR AFTER COMPLETION OF THE CONSTRUCTION AND THELANDSCAPING. THE BUILDER SHALL ADVISE THE OWNER OF THE SITE DRAINAGE REQUIREMENTS.



NO.	DESCRIPTION	BY	DATE

SHEET TITLE:
FOUNDATION
PLAN & DETAILS

DESIGN BUILD CONTRACTOR:
Mastermind Design
Build & Remodel

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY: SA
CHECKED BY: SA
DATE 03/02/2025
SCALE As indicated
SHEET

S-1.0

NO. DESCRIPTION BY DATE

SHEET TITLE:
**TYPICAL FRAMING
DETAILS**

DESIGN BUILD CONTRACTOR:
**Mastermind Design
Build & Remodel**

PROJECT DETAILS:
The Howard Residence
459 Castlewood Road, Tyrone, GA 30290

DRAWN BY:
SA
CHECKED BY:
SA

DATE
03/02/2025
SCALE
1/4" = 1'-0"
SHEET

S-2.0

